



Shell Spirax T2 G 80W-90

High Quality API GL-4 Oil for Tata Manual Transmissions

Spirax T2 G 80W-90 is an automotive gear lubricant containing multi-functional additives required for mild extreme pressure conditions.

Applications

Manual gearboxes

Designed for use in Tata equipment Spirax T2 G 80W-90 provides excellent lubrication of manual gearboxes of passenger cars and commercial vehicles (on and off road) operating under high speed/low torque and low speed/high torque conditions. Suitable for gearboxes fitted with synchromesh.

Rear axles

Suitable for applications presenting conditions of medium severity, such as some light duty commercial vehicles, passenger cars and motorcycles. Not suitable for heavy duty hypoid axles

Performance Features and Benefits

- **Comprehensive components**
Specially selected additives impart good anti-wear, anti-rust characteristics and oxidation stability.

Specification and Approvals

API Service Classification GL-4
Recommended for use in Tata vehicles

Advice

Advice on applications not covered in this leaflet may be obtained from your Shell Representative.

Health and Safety

Guidance on Health and Safety are available on the appropriate Material Safety Data Sheet that can be obtained from your Shell representative.

Protect the environment

Take used oil to an authorised collection point. Do not discharge into drains, soil or water

Typical Physical Characteristics

Spirax T2 G		80W-90
SAE Viscosity grade	SAE J 306	80W-90
Kinematic Viscosity	ISO 3104	
at 40°C mm ² /s		146
at 100°C mm ² /s		14.7
Viscosity Index	ISO 2909	100
Density at 15°C kg/m ³	ISO 12185	900
Flash Point COC °C	ISO 2592	175
Pour Point °C	ISO 3016	-27

These characteristics are typical of current production. Whilst future production will conform to Shell's specification, variations in these characteristics may occur.