Shell Omala S2 G 220

Version 1.5

Revision Date 06.07.2023 Print Date 20.04.2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name :	: Shell Omala S2 G 220
----------------	------------------------

Product code : 001D7837

Manufacturer/Supplier :	Shell India Markets Private Limited Commerzone, Block-2, No.2 200 Feet Radial Road Pallikaranai CHENNAI 600100 India
Telephone Telefax	: (+91) 04446945100 : (+91) 04443451516
Emergency telephone number Recommended use of the che Recommended use :	: +91 22 6516 1058 mical and restrictions on use Gear lubricant.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8, 64741-88-4, 64741-89-5.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
Interchangeable low viscosity base oil	Not Assigned	Asp. Tox. 1; H304	0 - 90

Shell Omala S2 G 220

Version 1.5

Revision Date 06.07.2023

Print Date 20.04.2024

(<20,5 cSt @40°C) *			
Amine phosphate	91745-46-9	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Eye Irrit. 2; H319	0 - < 0.9

For explanation of abbreviations see section 16.

3. HAZARDS IDENTIFICATION

Based on available data this substance / mixture does not meet the classification criteria.

Label elements

Safety data sheet available on request.

Hazard pictograms Signal word	: No Hazard Symbol required : No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria. HEALTH HAZARDS: Not classified as a health hazard under CLP criteria. ENVIRONMENTAL HAZARDS: Not classified as environmental hazard according to CLP criteria.
Precautionary statements	 Prevention: No precautionary phrases. Response: No precautionary phrases. Storage: No precautionary phrases. Disposal: No precautionary phrases.

Other hazards

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

4. FIRST-AID MEASURES

If inhaled

: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
In case of skin contact	: Remove contaminated clothing. water and follow by washing with If persistent irritation occurs, obt	n soap if available.
In case of eye contact	: Flush eye with copious quantitie Remove contact lenses, if prese rinsing. If persistent irritation occurs, obt	nt and easy to do. Continue
If swallowed	: In general no treatment is neces are swallowed, however, get me	
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and syn of black pustules and spots on the Ingestion may result in nausea,	he skin of exposed areas.
Protection of first-aiders	: When administering first aid, ensated appropriate personal protective of incident, injury and surroundings	equipment according to the
Notes to physician	: Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Avoid contact with skin and eyes.
-----------------------	-------------------------------------

rsion 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
protective equipment and emergency procedures Environmental precautions	: Use appropriate containment to an contamination. Prevent from sprea ditches or rivers by using sand, ea barriers.	ading or entering drains,
	Local authorities should be advise cannot be contained.	d if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accider Prevent from spreading by making or other containment material. Reclaim liquid directly or in an abs Soak up residue with an absorben suitable material and dispose of pr	g a barrier with sand, earth sorbent. It such as clay, sand or othe
Additional advice	: For guidance on selection of personal see Section 8 of this Safety Data 9 For guidance on disposal of spilled this Safety Data Sheet.	Sheet.

General Precautions	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	Strong oxidising agents.
Product Transfer :	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage	
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.

Shell Omala S2 G 220

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
Packaging material	: Suitable material: For containers o steel or high density polyethylene. Unsuitable material: PVC.	0
Container Advice	: Polyethylene containers should no temperatures because of possible	

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

. .

• • •

Components	with w	orkplace	control	param	eters	

. .

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	IN OEL
Oil mist, mineral	Not Assigned	STEL (Mist)	10 mg/m3	IN OEL
Oil mist, mineral	Not Assigned	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

Biological Limit Values (BLV) have not been established for this material.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	 The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Shell Omala S2 G 220		
Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
	 Where material is heated, sprayed of greater potential for airborne concert General Information: Define procedures for safe handling controls. Educate and train workers in the harmeasures relevant to normal activitie product. Ensure appropriate selection, testing equipment used to control exposure equipment, local exhaust ventilation Drain down system prior to equipmer maintenance. Retain drain downs in sealed storag subsequent recycle. Always observe good personal hygi washing hands after handling the m drinking, and/or smoking. Routinely protective equipment to remove concontaminated clothing and footwear Practice good housekeeping. 	or mist formed, there is intrations to be generated. and maintenance of zards and control es associated with this g and maintenance of e, e.g. personal protective the pending disposal or ene measures, such as aterial and before eating, wash work clothing and taminants. Discard

Personal protective equipment

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection	
	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand

rsion 1.5	Revision Date 06.07.2023	Print Date 20.04.202
	care. Gloves must only be worn o gloves, hands should be washed Application of a non-perfumed mo	and dried thoroughly.
	For continuous contact we recom breakthrough time of more than 2 for > 480 minutes where suitable short-term/splash protection we re recognize that suitable gloves offer may not be available and in this of time maybe acceptable so long as and replacement regimes are follor a good predictor of glove resistant dependent on the exact composit Glove thickness should be typical depending on the glove make and	40 minutes with preference gloves can be identified. For ecommend the same but ering this level of protection case a lower breakthrough s appropriate maintenance owed. Glove thickness is not ice to a chemical as it is ion of the glove material. Ily greater than 0.35 mm
Eye protection	: If material is handled such that it protective eyewear is recommend	
Skin and body protection	: Skin protection is not ordinarily re work clothes. It is good practice to wear chemic	
Thermal hazards	: Not applicable	
Environmental exposure c	ontrols	
General advice	: Take appropriate measures to ful relevant environmental protection contamination of the environment Section 6. If necessary, prevent being discharged to waste water. treated in a municipal or industria before discharge to surface water Local guidelines on emission limit must be observed for the discharg vapour.	l legislation. Avoid t by following advice given ir undissolved material from Waste water should be I waste water treatment plar ts for volatile substances

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	brown
Odour	:	Data not available
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	-18 °C / -0.40 °F Method: ISO 3016
Melting / freezing point		Data not available
Initial boiling point and boiling	:	> 280 °C / 536 °Festimated value(s)

Shell Omala S2 G 220

ersion 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
range		
Flash point	: 240 °C / 464 °F Method: ISO 2592	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: Not classified as flammable but v	vill burn.
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: >5	
Relative density	: 0.899 (15 °C / 59 °F)	
Density	: 899 kg/m3 (15.0 °C / 59.0 °F) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6 (based on information on similar	products)
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 220 mm2/s (40.0 °C / 104.0 °F) Method: ISO 3104	
	19.4 mm2/s (100 °C / 212 °F) Method: ISO 3104	
Explosive properties	: Classification Code: Not classifie	d
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to b	e a static accumulator.

Shell Omala S2 G 220

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
Particle size	: Data not available	
10. STABILITY AND REACTIVITY		
Reactivity	: The product does not pose any fur addition to those listed in the follow	

Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes exposure	of : Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	 LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Version 1.5

Revision Date 06.07.2023

Print Date 20.04.2024

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Components:

Amine phosphate:

Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Components:

Amine phosphate:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity

Product:

Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

Version 1.5

Print Date 20.04.2024

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

12. ECOLOGICAL INFORMATION

Basis for assessment :	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Ecotoxicity	
Product:	
Toxicity to fish (Acute : toxicity)	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute : toxicity)	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l

Shell Omala S2 G 220

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: Based on available data are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l	a, the classification criteria
Toxicity to fish (Chronic toxicity)	: Remarks: Based on available data are not met.	a, the classification criteria
Toxicity to crustacean (Chronic toxicity)	: Remarks: Based on available data are not met.	a, the classification criteria
Toxicity to microorganisms (Acute toxicity)	: Remarks: Based on available data are not met.	a, the classification criteria
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Not readily biodegradable inherently biodegradable, but cont persist in the environment., Persis International Oil Pollution Compen definition: "A non-persistent oil is of shipment, consists of hydrocarborn of which, by volume, distills at a te and (b) at least 95% of which, by v temperature of 370°C (700°F) whe Method D-86/78 or any subsequer	ains components that may tent per IMO criteria., isation (IOPC) Fund bil, which, at the time of fractions, (a) at least 50% imperature of 340°C (645°F) volume, distils at a en tested by the ASTM
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components w bioaccumulate.	vith the potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on i products)	nformation on similar
Mobility in soil		
Product:		
Mobility	: Remarks: Liquid under most environ enters soil, it will adsorb to soil par mobile. Remarks: Floats on water.	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	: Does not have ozone depletion po ozone creation potential or global is a mixture of non-volatile compor released to air in any significant qu conditions of use.	warming potential., Product nents, which will not be

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
	Poorly soluble mixture., Causes p organisms. Mineral oil does not cause chronic organisms at concentrations less	c toxicity to aquatic

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks	: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

14. TRANSPORT INFORMATION

International Regulations

ADR Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Shell Omala S2 G 220

Version 1.5

Revision Date 06.07.2023

Print Date 20.04.2024

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 (amended version issued 2000). The Factories Act, 1948, The Second Schedule: Permissible levels of certain chemical substances in work environment, as amended through 1987. India Central motor Vehicles (Amendment) Rules 1993.

Other international regulations

The components of this product are reported in the following inventories:

TSCA

: All components listed.

16. OTHER INFORMATION

Full text of H-Statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Skin Sens.	Skin sensitisation

Abbreviations and Acronyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.

Shell Omala S2 G 220

Version 1.5	Revision Date 06.07.2023	Print Date 20.04.2024
SDS Regulation	: Regulation 1907/2006/EC	
Further information		
Training advice	: Provide adequate information, instru operators.	ction and training for
Other information	: A vertical bar () in the left margin inc from the previous version.	licates an amendment
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but not lin sources of information (e.g. toxicolog Health Services, material suppliers' o IUCLID date base, EC 1272 regulation	gical data from Shell data, CONCAWE, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.